

AVIATION TEST A

Aviation Charts

(Supplemental Sectionals and Legend)


Table of Contents

Legend.....	1
Sectional Chart A.....	2
Sectional Chart B.....	3
Sectional Chart C.....	4
Sectional Chart D.....	5

WASHINGTON
LEGEND

Airports having Control Towers are shown in Blue, all others in Magenta. Consult Airport/Facility Directory (A/FD) for details involving airport lighting, navigation aids, and services. All times are local. For additional symbol information refer to the Chart User's Guide.

AIRPORTS



All recognizable hard-surfaced runways, including those closed, are shown for visual identification. Airports may be public or private.

ADDITIONAL AIRPORT INFORMATION



Services - fuel available and field tended during normal working hours depicted by use of ticks around basic airport symbol. (Normal working hours are Mon thru Fri 10:00 A.M. to 4:00 P.M.) Consult A/FD for service availability at airports with hard-surfaced runways greater than 8069 ft.

★ Rotating airport beacon in operation Sunset to Sunrise

OBJECTIONABLE - Airport may adversely affect airspace use.

AIRPORT DATA

Box indicates FAR 93 Special Air Traffic Rules & Airport Traffic Patterns. Runways with Right Traffic Patterns (public use) RP * Special conditions exist - see A/FD.

FSS NO SVFR FAR 91 Location Identifier (NAME) (NAM) (PNAM) ICAO Location Indicator shown outside contiguous U.S.

CT - 118.3 * ATIS 123.8 285 L 72 122.95 RP 23, 34 VFR Advsy 125.0 AOE

FSS - Flight Service Station
NO SVFR - Fixed-wing special VFR flight is prohibited.
CT - 118.3 - Control Tower (CT) - primary frequency
★ - Star indicates operation part-time. See tower frequencies tabulation for hours of operation.
C - Follows the Common Traffic Advisory Frequency (CTAF)
ATIS 123.8 - Automatic Terminal Information Service
ASOS/AWOS 135.42 - Automated Surface Weather Observing Systems (shown where full-time ATIS not available). Some ASOS/AWOS facilities may not be located at airports.
UNICOM - Aeronautical advisory station
VFR Advsy - VFR Advisory Service shown where full-time ATIS not available and frequency is other than primary CT frequency.

285 - Elevation in feet

L - Lighting in operation Sunset to Sunrise


*L - Lighting limitations exist; refer to Airport/Facility Directory.

72 - Length of longest runway in hundreds of feet; usable length may be less.

When information is lacking, the respective character is replaced by a dash. Lighting codes refer to runway edge lights and may not represent the longest runway or full length lighting.


AIRPORT TRAFFIC
SERVICE AND
AIRSPACE INFORMATION

Only the controlled and reserved airspace effective below 18,000 ft. MSL are shown on this chart.




2400 MSL Differentiates floors of Class E Airspace greater than 700 ft. above surface.
4500 MSL


Class E Airspace exists at 1200' AGL unless otherwise designated as shown above.
Class E Airspace low altitude Federal Airways are indicated by center line.
Intersection - Arrows are directed towards facilities which establish intersection.




T 319 TK 313 (Helicopter Only) RNAV Waypoint




COMMUNICATION BOXES



RADIO AIDS TO NAVIGATION




OBSTRUCTIONS



MISCELLANEOUS



TOPOGRAPHIC INFORMATION




SECTIONAL CHART A




SECTIONAL CHART B



SECTIONAL CHART C



SECTIONAL CHART D



EVERGLADES

06

THE
EVERGLADES

ALERT AREA
A-291D

CONCENTRATED
FLIGHT TRAINING

CONTIGUOUS U.S. ADIZ

SOUTH FLORIDA LOW
CONTROL AREA

MIAMI TERMINAL AREA
Pilots are encouraged to use the Miami VFR
Terminal Area Chart for flights at or below 7000'

EXAMPLES OF CLASS B ALTITUDES

70 --- Ceiling in hundreds of feet MSL
30 --- Floor in hundreds of feet MSL

(Floors extending "upward from above" a certain altitude are preceded by a (+). Operations at and below these altitudes are outside of Class B Airspace)

CTC MIAMI APP WITHIN
20 NM ON 119.7 306.3

POMPAÑO BEACH (PMP)
CT - 125.4 ATIS 120.55
19 L 49 122.95

FT LAUDERDALE CLASS C

FT LAUDERDALE EXEC (FXE)
CT - 120.9 ATIS 119.85
13 L 60 122.95

CTC MIAMI APP WITHIN
20 NM ON 119.7 306.3

VOR-DME
FT LAUDERDALE
114.4 Ch 91 FLL

FT LAUDERDALE/HOLLYWOOD INTL (FLL)
CT 119.3 ATIS 135.0
65 L 90 122.95
AOE

CTC MIAMI APP WITHIN
20 NM ON 128.6 306.975

CAUTION: INTENSIVE VFR TRAFFIC
PILOTS NOT IN COMMUNICATION WITH AIR
TRAFFIC CONTROL ARE ENCOURAGED TO
MAKE REGULAR POSITION REPORTS ON 123.025

MIAMI IFSS MIA
126.7 126.9

VIRGINIA KEY
117.1 Ch 118 VKZ

CORAL SPRINGS 323
FT LAUDERDALE EXEC (FXE)
CT - 120.9 ATIS 119.85
13 L 60 122.95

PRAIZ
221 FX

See NOTAMs/Directory
for Class D eff hrs

DAVIE RCO
MIAMI

NORTH PERRY (HWO)
CT - 132.1 ATIS 135.475
08 L 33 122.95

POST OFFICE
325 (315)

OPA-LOCCA
EXEC (OPF)
CT - 134.675 ATIS 125.9
08 L 80 RP 9R, 27R

GOLDEN GLADES
INTERCHANGE

MIAMI
320 819 bldgs

MIAMI BEACH MIAMI (X44)
06 122.8
00 - 140 122.8

MIAMI IFSS MIA
126.7 126.9

VIRGINIA KEY
117.1 Ch 118 VKZ

MIAMI

NO SVFR
MIAMI INTL (MIA)
CT - 118.3 123.9
ATIS 119.15
09 L 130 123.0
AOE

MIAMI MIA
122.3 122.55 123.65

MIAMI MIA

LINDBERGH'S LANDING
09 - 40

MIAMI MIA

MIAMI MIA

MIAMI MIA

MIAMI MIA

MIAMI MIA

MIAMI MIA

MIAMI MIA

MIAMI MIA

MIAMI MIA

MIAMI MIA